

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Olmitz-----	35	Not limited		Not limited		Not limited	
Vesser-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Zook-----	20	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
24D2: Shelby-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
24E2: Shelby-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
51: Vesser-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
51+: Vesser-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
51B: Vesser-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
51B+: Vesser-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
54: Zook-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
54+: Zook-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
56B: Cantril-----	90	Not limited		Not limited		Not limited	
58D2: Douds-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
65E: Lindley-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65E2: Lindley-----	95	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
65F: Lindley-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
65F2: Lindley-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
80B: Clinton-----	95	Not limited		Not limited		Not limited	
80C: Clinton-----	100	Not limited		Not limited		Not limited	
80C2: Clinton-----	100	Not limited		Not limited		Not limited	
80D2: Clinton-----	95	Not limited		Not limited		Somewhat limited Slope	0.63
93D2: Adair-----	60	Not limited		Not limited		Somewhat limited Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
Shelby-----	30	Not limited		Not limited		Somewhat limited Slope	0.63
94E2: Caleb-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Mystic-----	35	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
131B: Pershing-----	95	Not limited		Not limited		Not limited	
131C2: Pershing-----	90	Not limited		Not limited		Not limited	
132B: Weller-----	95	Not limited		Not limited		Not limited	
132C: Weller-----	90	Not limited		Not limited		Not limited	
132C2: Weller-----	90	Not limited		Not limited		Not limited	
179D2: Gara-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
179E: Gara-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
179E2: Gara-----	90	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
179E3: Gara-----	90	Somewhat limited		Not limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.02			Slope	1.00
179F: Gara-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
179F2: Gara-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
179F3: Gara-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
192C2: Adair-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
192D2: Adair-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
211: Edina-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
222C2: Clarinda-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
222C3: Clarinda-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
223C2: Rinda-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
223C3: Rinda-----	90	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
260: Beckwith-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
261: Appanoose-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
263: Okaw-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
269: Humeston-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
273B: Olmitz-----	90	Not limited		Not limited		Not limited	
312B: Seymour-----	90	Not limited		Not limited		Not limited	
312B2: Seymour-----	95	Not limited		Not limited		Not limited	
313E2: Gosport-----	95	Not limited		Not limited		Very limited Slope Depth to bedrock Droughty Depth to saturated zone	0.96 0.46 0.22 0.03
313G: Gosport-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope Depth to bedrock Droughty	1.00 0.46 0.22

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.03
313G2: Gospport-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope Depth to bedrock Droughty Depth to saturated zone	1.00 0.46 0.22 0.03
362: Haig-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
364B: Grundy-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
405: Floris-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
423D2: Bucknell-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
423D3: Bucknell-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
424D2: Lindley-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Keswick-----	30	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
424E2: Lindley-----	60	Somewhat limited		Not limited		Very limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.02			Slope	1.00
Keswick-----	30	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
						Depth to saturated zone	0.19
425C: Keswick-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
425C2: Keswick-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
425D: Keswick-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to saturated zone	0.19
425D2: Keswick-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to saturated zone	0.19
425D3: Keswick-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to saturated zone	0.19
430: Ackmore-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
						Depth to saturated zone	0.19
451D2: Caleb-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
452C2: Lineville-----	90	Not limited		Not limited		Somewhat limited	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
453: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
484: Lawson-----	85	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
520: Coppock-----	95	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
520B: Coppock-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
531B: Kniffin-----	95	Not limited		Not limited		Not limited	
531C: Kniffin-----	95	Not limited		Not limited		Not limited	
531C2: Kniffin-----	90	Not limited		Not limited		Not limited	
532B: Rathbun-----	90	Not limited		Not limited		Not limited	
532C: Rathbun-----	90	Not limited		Not limited		Not limited	
532C2: Rathbun-----	90	Not limited		Not limited		Not limited	
587: Chequest-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
592C2: Mystic-----	90	Not limited		Not limited		Not limited	
592D2: Mystic-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
592D3: Mystic-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
594C2: Galland-----	90	Not limited		Not limited		Not limited	
594D2: Galland-----	90	Not limited		Not limited		Somewhat limited Slope	0.63
715: Nodaway-----	50	Not limited		Not limited		Somewhat limited Flooding	0.60
Amana-----	35	Not limited		Not limited		Somewhat limited Flooding	0.60
730B: Nodaway-----	60	Not limited		Not limited		Somewhat limited Flooding	0.60
Cantril-----	30	Not limited		Not limited		Not limited	
792C: Armstrong-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
792C2: Armstrong-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
792C3: Armstrong-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
792D: Armstrong-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
792D2: Armstrong-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
792D3: Armstrong-----	85	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
795D2: Ashgrove-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
822D2: Lamoni-----	90	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.63 0.19
831B: Pershing-----	95	Not limited		Not limited		Not limited	
831C2: Pershing-----	90	Not limited		Not limited		Not limited	
832B: Weller-----	95	Not limited		Not limited		Not limited	
832C2: Weller-----	90	Not limited		Not limited		Not limited	
993D2: Gara-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Armstrong-----	30	Not limited		Not limited		Somewhat limited Slope	0.63

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.19
993D3: Gara-----	60	Not limited		Not limited		Somewhat limited Slope	0.63
Armstrong-----	30	Not limited		Not limited		Somewhat limited Slope	0.63
						Depth to saturated zone	0.19
994E2: Douds-----	60	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Galland-----	40	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
1130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1139: Perks Variant-----	85	Very limited Too sandy Flooding	1.00 0.40	Very limited Too sandy Flooding	1.00 0.40	Very limited Flooding Too sandy	1.00 0.50
1260: Beckwith-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1715: Nodaway-----	40	Not limited		Not limited		Somewhat limited Flooding	0.60
Lawson-----	25	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19
Ackmore-----	20	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.19

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Davis County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1977: Richwood Variant----	100	Not limited		Not limited		Not limited	
5010: Pits-----	100	Not rated		Not rated		Not rated	
5020: Pits-----	100	Not rated		Not rated		Not rated	
5021: Orthents-----	100	Not rated		Not rated		Not rated	
5030: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	